CLAIMS

Claims 1-64 (Canceled).

- 65. (Currently Amended) A composition compound having the general formula X-L-S wherein: the S moiety is a pyranose;
 - the X moiety is an aryl, a substituted or unsubstituted C_1 - C_8 alkyl, alkoxy, alkylthio, alkenyl, alkylaryl, alkylamino, alkylamido, amido, or arylamido, in which at least one atom is substituted by a radio-opacifying atom of an element with an atomic number of approximately Z = 35 to approximately Z = 74, and which may be further substituted; and the L moiety is unsubstituted or substituted, and is a C_1 - C_8 alkyl, alkoxy, alkylthio, alkenyl, alkylaryl, alkylamino, alkylamido, amido, or arylamido, and is bonded to the S moiety and to the X moiety.
- 66. (Currently Amended) The composition compound of claim 65 wherein the S moiety is hydroxy-substituted.
- 67. (Currently Amended) The composition compound of claim 65 wherein the S moiety is 2-hydroxy-substituted.
- 68. (Currently Amended) The composition compound of claim 65 wherein: the S moiety is a substituted pyranose of the formula $C_6H_{11}O_5$, the X moiety is a substituted aryl of the formula $C_6H_2I_3$, and the L moiety is a substituted amidoaryl of the formula $C_6H_3NH_2NHCO$.

04646.P003D -2- 09/752,619

- 69. (Currently Amended) The composition compound of claim 65 wherein: the S moiety is a substituted pyranose of the formula C₆H₁₁O₅, the X moiety is a substituted aryl of the formula C₆H₁₃CH₂CH₃, and the L moiety is a substituted amidoaryl of the formula C₆H₃NH₂NHCO.
- 70. (Currently Amended) The composition compound of claim 65 wherein: the S moiety is a substituted pyranose of the formula C₆H₁₁O₅, the X moiety is a substituted aryl of the formula C₆I₃(CONHCH₃)₂, and the L moiety is a substituted amidoaryl of the formula C₆H₃NH₂NHCO.

Claims 71-75 (Canceled).

- 76. (Currently Amended) A method of imaging tissue comprising:
 - a) administering a composition compound according to the formula of claim 65[,
 wherein said composition compound is cell membrane-permeable and wherein:
 S is a binding moiety which selectively binds to a cellular molecule in said tissue;
 X is a radio-opaque moiety; and
 L is a linking moiety which links the S moiety to the X moiety];
 - b) irradiating said tissue with a radiation source which is [capable of being] attenuated by the X moiety; and
 - c) acquiring an image of said tissue.

- 77. (Previously Amended) The method of claim 76 wherein said acquiring occurs during said irradiating and wherein said tissue is live during said administering.
- 78. (Original) The method of claim 76 further comprising determining whether said tissue comprises malignant tissue using said image.
- 79. (Original) The method of claim 76 further comprising determining whether said tissue comprises abnormal myocardial tissue using said image.

Claims 80-86 (Canceled).

04646.P003D -4- 09/752,619